

# Water

Grade: Laboratory

H<sub>2</sub>O

M=18.02 g/mol

1L=1 kg

## Specification

Spec. conductance at 25°C (at the time of manufacturing)  
.....≤1-3 μs/cm  
Residue on evaporating.....≤1 mg/l  
Residue on ignition.....≤1 mg/l  
Chloride (Cl)..... ≤0.05 mg/l  
Sulfate (SO<sub>4</sub>).....≤0.1mg/l  
Calcium (Ca).....≤0.005 mg/l  
Fe (Iron)..... ≤0.001 mg/l  
Melting point.....0°C  
Boiling point.....100°C

## Technical data

- CAS-No. 7732-18-5
- EC-No. 231-791-2
- Vapour pressure 23 hpa(20°C)
- Spec. density 1g/cm<sup>3</sup>
- RTECS ZC0110000
- Poison class(CH) F
- HS-No. 2851 00 10
- LGK 10-13

## Symbol



## Guidelines of usage & storage

- Solvent and diluent for analyt. chemistry.
- High purity water for multiple applications in trace analysis.

## Packaging

Glass Bottles

Plastic Bottles

1 Liter  
2.5 Liter

Plastic Gallon

5 Liter  
10 Liter  
20 Liter

Bulk  
Inquire

