



Material Safety Data Sheets

Revision

2

1. IDENTIFICATION

Product Name Sodium hydrogen carbonate

Other Names Bicar; CARBONIC ACID, MONOSODIUM SALT; Sodium hydrogen carbonate; Sodium bicarbonate

Code No

Food/feed stuff additives, Detergent, Chemical industry, Glass industry, Foaming agents, Water treatment, Uses

Environmental protection, Purifying flue gas, Animal feed.

Chemical Family No Data Available

Chemical Formula NaHCO₃

Chemical Name Sodium Bicarbonate Product Description No Data Available Company Arman sina.co

Contact Information info@armansina.com

www.armansina.com

2. HAZARD IDENTIFICATION

NOT hazardous **Hazard Classification**

Symbol

NOT hazardous

3. COMPOSITION/INFORMATION ON INGREDIENTS

Ingredients

Chemical Entity	Formula	CAS Number	Proportion
Sodium Bicarbonate	NaHCO ₃	144-55-8	>=95.00 %

4. FIRST AID MEASURES

Description of necessary measures according to routes of exposure

Swallowed Rinse mouth with water. Give water to drink. Do NOT induce vomiting. If symptoms persist, seek medical attention.

Eye Immediately flush eyes with plenty of water holding eyelids open, also under the eyelids. If irritation persists, seek

medical attention.

Skin Remove contaminated clothing. Wash affected area with soap and plenty of water. If irritation persists, seek medical

attention.

Inhaled Remove victim from exposure to fresh air. If not breathing, apply artificial respiration. If breathing is difficult, give

oxygen. If symptoms persist, call a physician.

Advice to Doctor Treat symptomatically based on judgement of doctor and individual reactions of patient.

Medical Conditions Aggravated

by Exposure

No information available on medical conditions which are aggravated from exposure to this product.

5. FIRE FIGHTING MEASURES

General Measures Clear fire area of all non-emergency personnel. Stay upwind. Keep out of low areas. Eliminate ignition sources. Move

fire exposed containers from fire area if it can be done without risk.

Flammability Conditions Product is a non-flammable solid.

Extinguishing Media In case of fire, use appropriate extinguishing media most suitable for surrounding fire conditions.

Fire and Explosion Hazard Non-combustible solid

Hazardous Products of

Combustion

None

Special Fire Fighting Instructions Do NOT allow fire fighting water to reach waterways, drains or sewers. Store fire fighting water for treatment.

Personal Protective Equipment Fire fighters should wear a positive-pressure self-contained breathing apparatus (SCBA) and protective fire fighting

clothing (includes fire fighting helmet, coat, trousers, boots and gloves).

Flash Point No Data Available
Lower Explosion Limit No Data Available
Upper Explosion Limit No Data Available
Auto Ignition Temperature No Data Available
Hazchem Code No Data Available

6. ACCIDENTAL RELEASE MEASURES

General Response Procedure Avoid accidents, clean up immediately. Slippery when spilt. Eliminate all sources of ignition. Increase ventilation.

Avoid generating dust. Stop leak if safe to do so. Isolate the danger area. Use clean, non-sparking tools and

equipment. Avoid dust formation.

Clean Up Procedures Contain and sweep/shovel up spills with dust binding material or use an industrial vacuum cleaner. Sweep up to

prevent slipping hazard. Transfer to a suitable, labelled waste container and dispose of promptly.

Containment Stop leak if safe to do so. Isolate the danger area.

Decontamination Avoid dust formation.

Environmental Precautionary

Measures

Do NOT let product reach drains or waterways. If product does enter a waterway, advise the Environmental Protection Authority or your local Waste Management. Prevent any mixture with an acid into the sewer/drain (gas

formations)

Evacuation Criteria Evacuate all unnecessary personnel.

7. HANDLING AND STORAGE

Handling Ensure an eye bath and safety shower are available and ready for use. Observe good personal hygiene practices and

recommended procedures. Wash thoroughly after handling. Take precautionary measures against static discharges by bonding and grounding equipment. Avoid contact with eyes, skin and clothing. Do not inhale product dust/fumes.

Storage Store in a cool, dry, well-ventilated area. Keep containers tightly closed when not in use. Inspect regularly for

deficiencies such as damage or leaks. Protect against physical damage. Store away from incompatible materials as

This product is not classified dangerous for transport according to The Australian Code for the Transport of

Dangerous Goods By Road and Rail.

Container Store in original packaging as approved by manufacturer. Packaging material: Paper + PE, Polyethylene,

Polypropylene, Woven plastic material + PE.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

General No exposure standard has been established for this product by the Australian Safety and Compensation Council

(ASCC). However, the exposure standard for dust not otherwise specified is 10mg/m3 (for inspirable dust) and

3mg/m3 (for respirable dust).

NOTE: The exposure value at the TWA is the average airborne concentration of a particular substance when

calculated over a normal 8 hour working day for a 5 day working week.

These exposure standards are guides to be used in the control of occupational health hazards. All atmospheric contamination should be kept to as low a level as is workable. These exposure standards should not be used as fine dividing lines between safe and dangerous concentrations of chemicals. They are not a measure of relative toxicity.

Exposure Limits No Data Available

Biological Limits No information available on biological limit values for this product.

Engineering Measures A system of local and/or general exhaust is recommended to keep employee exposures as low as possible. Local

exhaust ventilation is generally preferred because it can control the emissions of the contaminant at its source,

preventing dispersion of it into the general work area.

Personal Protection Equipment RESPIRATOR: Respiratory protection that conforms to international/ national standards (AS1715/1716).

EYES: Safety goggles (AS1336/1337). HANDS: Wear suitable gloves (AS2161).

CLOTHING: Long-sleeved protective clothing and safety footwear (AS3765/2210).

Work Hygienic Practices Do not eat, drink or smoke while using this product. Wash hands before breaks and end of workday. Handle in

accordance with good industrial hygiene and safety practice.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical State Solid

Appearance Crystalline Powder

 Odour
 Odourless

 Colour
 White

 pH
 8.4 8.4 g/L

Vapour Pressure No Data Available **Relative Vapour Density** No Data Available **Boiling Point** No Data Available **Melting Point** No Data Available Freezing Point No Data Available Solubility No Data Available **Specific Gravity** No Data Available Flash Point No Data Available **Auto Ignition Temp** No Data Available **Evaporation Rate** No Data Available **Bulk Density** 0.5-1.3 kg/dm3 **Corrosion Rate** No Data Available **Decomposition Temperature** No Data Available

Density 2.21 Kg/dm3 - 2.23 Kg/dm3

Specific Heat

Mo Data Available

Molecular Weight

No Data Available

Net Propellant Weight

Octanol Water Coefficient

Particle Size

No Data Available

Partition Coefficient

No Data Available

No Data Available

Saturated Vapour Concentration No Data Available **Vapour Temperature** No Data Available Viscosity No Data Available **Volatile Percent** No Data Available **VOC Volume** No Data Available

Additional Characteristics Solubility(ies): 69 g/l (Water) Temperature: 0 Deg C (32 Deg F)

> 93 g/l (Water) Temperature: 20 DC (68 Deg F) 165 g/l (Water) Temperature: 60 DC (140 Deg F)

Slightly soluble in Alcohol

pKa1 = 6.33

Bulk density: from 0.5 - 1.3 kg/dm3 from 31 - 75 lb/ft3

Solubility(ies): 69 g/l (Water) Temperature: 0 32

: 93 g/I (Water) Temperature: 20 : 165 g/I (Water) Temperature: 60 140

: Other

: slightly soluble : Alcohol

pH: 8.4 (Water

Concentration: 8.4 g/l at 25 Deg C

Concentration: 52 g/l at 25 Deg C

Potential for Dust Explosion No Data Available Fast or Intensely Burning No Data Available

Characteristics

Flame Propagation or Burning

Rate of Solid Materials

Non-Flammables That Could

Contribute Unusual Hazards to a

Properties That May Initiate or

Contribute to Fire Intensity

Reactions That Release Gases or No Data Available Vapours

Vapours and Gases

No Data Available

No Data Available

No Data Available

Release of Invisible Flammable No Data Available

10. STABILITY AND REACTIVITY

Chemical Stability Stable under recommended storage conditions. Keep at temperature not exceeding 50 Deg C.

Conditions to Avoid Exposure to moisture, do not overheat to avoid thermal decomposition.

Materials to Avoid Incompatible with acids.

Hazardous Decomposition

Products

None

Hazardous Polymerisation No Data Available

11. TOXICOLOGICAL INFORMATION

General Information Acute Oral toxicity LD50 Rat: > 4000mg/Kg.

Acute Inhalation toxicity LC50 Rat : > 4.74mg/L

No skin Irritation in Rabbits No eve irritation in Rabbits

Genetic Toxicity In Vitro: Tests on bacterial or mammalian cell cultures did not show mutagenic effects. Oral route (gavage), 10 days, rabbit, 330mg/Kg, Did not show teratogenic effects in animal experiments.

testing on rats did not show any carcinogenic effects.

Eyelrritant Dust contact with the eyes can lead to mechanical irritation.

Ingestion Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhoea.

Inhalation In case of higher concentration: slight irritation.

SkinIrritant Repeated or prolonged exposure: Contact with dust can cause mechanical irritation or drying of the skin.

Carcinogen Category No Data Available

12. ECOLOGICAL INFORMATION

Ecotoxicity Acute Toxicity

Fishes, Oncorhynchus mykiss, LC50: 7700 mg/L/96 h Fishes, Oncorhynchus mykiss, NOEC: 2300 mg/L/96 h Fishes, Lepomis macrochirus, LC50: 7100 mg/L/96 h Fishes, Lepomis macrochirus, NOEC: 5200 mg/L/96 h Crustaceans, Daphnia magna, EC50: 4100 mg/L/48 h Crustaceans, Daphnia magna, NOEC: 3100 mg/L/48 h

Chronic Toxicity

Crustaceans, Daphnia magna, NOEC: > 576 mg/L/21 d

Persistence/Degradability Abiotic degradation: Water, hydrolyses

Result: acid/base equilibrium as a function of pH.

Degradation Products: Carbonic acid/bicarbonate/carbonate

Biodegradation

Remarks: The methods for determining the biological degradability are not applicable to inorganic substances.

Mobility High mobility in water and soil/sediments.

Environmental Fate Avoid contaminating waterways, drains and sewers.

Bioaccumulation Potential Does not bioaccumulate
Environmental Impact No Data Available

13. DISPOSAL CONSIDERATIONS

General Information Dispose of in accordance with all local regulations. All empty packaging should be disposed of in

accordance with Local Regulations or recycled/reconditioned at an approved facility.

Special Precautions for Land Fill Contact a specialist disposal company or the local waste regulator for advice. Where possible recycling is preferred

to disposal or incineration. Clean container with water. Dispose of rinse water in accordance with local and national

regulations. Must be incinerated in a suitable incineration plant holding a permit delivered by the competent

authorities

14. TRANSPORT INFORMATION

Land Transport

Proper Shipping Name SODIUM BICARBONATE

Class No Data Available
Subsidiary Risk(s) No Data Available

No Data Available

Hazchem No Data Available
Pack Group No Data Available
Special Provision No Data Available

Sea Transport

UN Number

IMDG

Proper Shipping Name SODIUM BICARBONATE

Class No Data Available
Subsidiary Risk(s) No Data Available
UN Number No Data Available
Hazchem No Data Available
Pack Group No Data Available
Special Provision No Data Available
EMS No Data Available

Marine Pollutant No

Air Transport IATA

Proper Shipping Name SODIUM BICARBONATE (Not restricted according to IATA DGR)

Class No Data Available
Subsidiary Risk(s) No Data Available
UN Number No Data Available
Hazchem No Data Available
Pack Group No Data Available
Special Provision No Data Available

Comments Not restricted according to IATA DGR

15. OTHER INFORMATION

Revision

Key/Legend < Less Than

> Greater Than atm Atmosphere

2

CAS Chemical Abstracts Service (Registry Number)

cm Square Centimetres CO2 Carbon Dioxide

COD Chemical Oxygen Demand

Degrees Celsius

EPA (New Zealand) Environmental Protection Authority of New Zealand

Degrees Fahrenheit

g Grams

g/cm Grams per Cubic Centimetre

g/I Grams per Litre

HSNO Hazardous Substance and New Organism IDLH Immediately Dangerous to Life and Health immiscible Liquids are insoluable in each other.

inHg Inch of Mercury inH2O Inch of Water

K Kelvin kg Kilogram

kg/m Kilograms per Cubic Metre

Ib Pound

LC50 LC stands for lethal concentration. LC50 is the concentration of a material in air which causes the death of 50% (one half) of a group of test animals. The material is inhaled over a set period of time, usually 1 or 4 hours. LD50 LD stands for Lethal Dose. LD50 is the amount of a material, given all at once, which causes the death of 50% (one half) of a group of test animals.

Itr or L Litre m Cubic Metre mbar Millibar mg Milligram

mg/24H Milligrams per 24 Hours mg/kg Milligrams per Kilogram mg/m Milligrams per Cubic Metre

Misc or Miscible Liquids form one homogeneous liquid phase regardless of the amount of either component present.

mm Millimetre

mmH2O Millimetres of Water mPa.s Millipascals per Second

N/A Not Applicable

NIOSH National Institute for Occupational Safety and Health NOHSC National Occupational Heath and Safety Commission OECD Organisation for Economic Co-operation and Development

Oz Ounce Pa Pascal

ppb Parts per Billion ppm Parts per Million

ppm/2h Parts per Million per 2 Hours ppm/6h Parts per Million per 6 Hours

psi Pounds per Square Inch R Rankine RCP Reciprocal Calculation Procedure STEL Short Term Exposure Limit TLV Threshold Limit Value tne Tonne TWA Time Weighted Average ug/24H Micrograms per 24 Hours UN United Nations wt Weight