

Material Safety Data Sheets

1. IDENTIFICATION

Product Name	Polysorbate 80
Other Names	Polyethylene glycol, sorbitan monooleate; Polyoxyethylene(20) sorbitan monooleate; Polysorbate 81
Uses	Nonionic surfactant; emulsifier.
Chemical Family	No Data Available
Chemical Formula	Unspecified
Chemical Name	Polyoxyethylene, sorbitan monooleate
Product Description	No Data Available
Company	Arman sina.co
Contact Information	info@armansina.com www.armansina.com

2. HAZARD IDENTIFICATION

Hazard Classification	Hazardous according to the criteria of the Globally Harmonised System of Classification and Labelling of Chemicals (GHS)		
Hazard Categories	Acute Toxicity (Oral) - Category 5		
Signal Word	Warning		
Hazard Statements	H303	May be harmful if swallowed.	
Precautionary Statements	Response	P301 + P312	IF SWALLOWED: Call a POISON CENTER or doctor if you feel unwell.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Ingredients

Chemical Entity	Formula	CAS Number	Proportion
Polyoxyethylene, sorbitan monooleate	Unspecified	9005-65-6	>99 - 100 %

4. FIRST AID MEASURES

Description of necessary measures according to routes of exposure

Swallowed	IF SWALLOWED: Rinse mouth, then drink plenty of water. Do not induce vomiting. Call a Poison Centre or doctor/physician for advice. Never give anything by mouth to an unconscious person.
Eye	IF IN EYES: Immediately flush eyes with running water for several minutes, holding eyelids open and occasionally lifting the upper and lower lids. Remove contact lenses if present and easy to do. Continue rinsing for at least 15 minutes. If eye irritation persists, get medical advice/attention.
Skin	IF ON SKIN: Wash with plenty of soap and water. Take off contaminated clothing and wash it before reuse. If skin irritation occurs, get medical advice/attention.
Inhaled	IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. If respiratory symptoms persist, get medical advice/attention.
Advice to Doctor	Treat symptomatically.
Medical Conditions Aggravated by Exposure	No information available.

5. FIRE FIGHTING MEASURES

General Measures	If safe to do so, move undamaged containers from fire area. Cool containers with water spray until well after fire is out.	1
-------------------------	--	---

Flammability Conditions	Combustible liquid. May burn but does not ignite readily. *Flame might be invisible in daylight.
Extinguishing Media	Use dry chemical, Carbon dioxide (CO ₂), foam or water spray for extinction - Do not use water jets.
Fire and Explosion Hazard	Containers may explode when heated.
Hazardous Products of Combustion	Fire may produce irritating and/or toxic gases, including Carbon oxides.
Special Fire Fighting Instructions	Contain runoff from fire control or dilution water - Runoff may cause pollution.
Personal Protective Equipment	Wear positive pressure self-contained breathing apparatus (SCBA). Structural firefighters' protective clothing will only provide limited protection.
Flash Point	>250 ° C [ASTM D7094]
Lower Explosion Limit	No Data Available
Upper Explosion Limit	No Data Available
Auto Ignition Temperature	No Data Available
Hazchem Code	No Data Available

6. ACCIDENTAL RELEASE MEASURES

General Response Procedure	Ensure adequate ventilation. ELIMINATE all ignition sources. Do not touch or walk through spilled material - Slippery when spilt. Avoid accidents, clean up immediately! Avoid breathing vapours and contact with eyes, skin and clothing.
Clean Up Procedures	Pick up with sand or other non-combustible absorbent material and place into containers for later disposal (see SECTION 13).
Containment	Stop leak if you can do it without risk. Prevent entry into waterways, sewers, basements or confined areas. Dike far ahead of large spill for later disposal.
Decontamination	No information available.
Environmental Precautionary Measures	Prevent runoff into drains and waterways. If contamination of sewers or waterways has occurred advise local emergency services.
Evacuation Criteria	Spill or leak area should be isolated immediately. Keep unauthorised personnel away.
Personal Precautionary Measures	Use personal protective equipment as required (see SECTION 8) .

7. HANDLING AND STORAGE

Handling	Safety showers and eyewash facilities should be provided within the immediate work area for emergency use. Ensure adequate ventilation, especially in confined areas. Handle in accordance with good industrial hygiene and safety practice. Avoid breathing mist/vapours/aerosols and contact with eyes, skin and clothing. Do not ingest. Use personal protective equipment as required (see SECTION 8). Avoid high temperatures and sources of ignition - No smoking.
Storage	Store in a cool, dry and well-ventilated place, out of direct sunlight. Keep container tightly closed when not in use - check regularly for leaks. Protect containers against physical damage. Keep away from heat and sources of ignition - No smoking. Keep away from food/feedstuffs and incompatible materials (see SECTION 10).
Container	Keep in the original container.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

General	No specific exposure standards are available for this product.
Exposure Limits	No Data Available
Biological Limits	No information available.
Engineering Measures	A system of local and/or general exhaust is recommended to keep employee exposures as low as possible. Local exhaust ventilation is generally preferred because it can control the emissions of the contaminant at its source, preventing dispersion of it into the general work area.

Personal Protection Equipment	<ul style="list-style-type: none"> - Respiratory protection: In case of inadequate ventilation, wear respiratory protection. Recommended: Organic vapour/particulate filter respirator (refer to AS/NZS 1715 & 1716). - Eye/face protection: Wear appropriate eye protection to avoid eye contact. Recommended: Safety glasses with side shields or splash goggles. - Hand protection: Handle with gloves. Recommended: Impervious protective gloves, e.g. Rubber. - Skin/body protection: Wear appropriate personal protective clothing to avoid skin contact. Recommended: Overalls, safety shoes.
Special Hazards Precautions	No information available.
Work Hygienic Practices	Do not eat, drink or smoke when using this product. Wash hands before break and at the end of work. Immediately remove all soiled and contaminated clothing. Wash contaminated clothing and other protective equipment before storage or re-use.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical State	Liquid
Appearance	Liquid
Odour	Slight, characteristic
Colour	Yellow to light amber
pH	5.0 - 7.0 (1% aq.)
Vapour Pressure	No Data Available
Relative Vapour Density	>1 Air = 1
Boiling Point	No Data Available
Melting Point	No Data Available
Freezing Point	No Data Available
Solubility	Soluble in water
Specific Gravity	1.060 - 1.090
Flash Point	>250 ° C [ASTM D7094]
Auto Ignition Temp	No Data Available
Evaporation Rate	No Data Available
Bulk Density	No Data Available
Corrosion Rate	No Data Available
Decomposition Temperature	>250 ° C
Density	No Data Available
Specific Heat	No Data Available
Molecular Weight	No Data Available
Net Propellant Weight	No Data Available
Octanol Water Coefficient	No Data Available
Particle Size	No Data Available
Partition Coefficient	No Data Available
Saturated Vapour Concentration	No Data Available
Vapour Temperature	No Data Available
Viscosity	No Data Available
Volatile Percent	No Data Available
VOC Volume	No Data Available
Additional Characteristics	No information available.
Potential for Dust Explosion	Not applicable.

Fast or Intensely Burning Characteristics	No information available.
Flame Propagation or Burning Rate of Solid Materials	No information available.
Non-Flammables That Could Contribute Unusual Hazards to a Fire	No information available.
Properties That May Initiate or Contribute to Fire Intensity	Combustible liquid. May burn but does not ignite readily. *Flame might be invisible in daylight.
Reactions That Release Gases or Vapours	Fire/decomposition may produce irritating and/or toxic gases, including Carbon oxides.
Release of Invisible Flammable Vapours and Gases	No information available.

10. STABILITY AND REACTIVITY

General Information	No dangerous reactions known.
Chemical Stability	Product is stable under normal conditions.
Conditions to Avoid	Avoid high temperatures and sources of ignition.
Materials to Avoid	Incompatible/reactive with strong acids and oxidizing agents.
Hazardous Decomposition Products	Fire may produce irritating and/or toxic gases, including Carbon oxides.
Hazardous Polymerisation	Hazardous polymerisation will not occur.

11. TOXICOLOGICAL INFORMATION

General Information	Information on possible routes of exposure: - Ingestion: May be harmful if swallowed. May cause gastrointestinal discomfort if consumed in large amounts. - Eye contact: May cause eye irritation. - Skin contact: May cause skin irritation. - Inhalation: May cause irritation. Material may be irritant to the mucous membranes of the respiratory tract (airways). Chronic effects: No information available.
Carcinogen Category	None

12. ECOLOGICAL INFORMATION

Ecotoxicity	No information available.
Persistence/Degradability	No information available.
Mobility	No information available.
Environmental Fate	Prevent runoff into drains and waterways.
Bioaccumulation Potential	No information available.
Environmental Impact	No Data Available

13. DISPOSAL CONSIDERATIONS

General Information Dispose of contents/container in accordance with local/regional/national regulations.

Special Precautions for Land Fill No information available.

14. TRANSPORT INFORMATION

Land Transport

ADG Code

Proper Shipping Name	Polysorbate 80
Class	C2 Combustible Liquids - Flash Point >93° C, Closed Cup, Not Excluded Flammable
Subsidiary Risk(s)	No Data Available
	No Data Available
UN Number	No Data Available
Hazchem	No Data Available
Pack Group	No Data Available
Special Provision	No Data Available
Comments	NON-DANGEROUS GOODS: Not regulated for LAND transport.

Sea Transport

IMDG Code

Proper Shipping Name	Polysorbate 80
Class	No Data Available
Subsidiary Risk(s)	No Data Available
UN Number	No Data Available
Hazchem	No Data Available
Pack Group	No Data Available
Special Provision	No Data Available
EMS	No Data Available
Marine Pollutant	No
Comments	NON-DANGEROUS GOODS: Not regulated for SEA transport.

Air Transport

IATA DGR

Proper Shipping Name	Polysorbate 80
Class	No Data Available
Subsidiary Risk(s)	No Data Available
UN Number	No Data Available
Hazchem	No Data Available
Pack Group	No Data Available
Special Provision	No Data Available
Comments	NON-DANGEROUS GOODS: Not regulated for AIR transport.

15. OTHER INFORMATION

Revision

2

Key/Legend

< Less Than
> Greater Than
AICS Australian Inventory of Chemical Substances
atm Atmosphere
CAS Chemical Abstracts Service (Registry Number)
cm² Square Centimetres
CO₂ Carbon Dioxide
COD Chemical Oxygen Demand
deg C (° C) Degrees Celcius
EPA (New Zealand) Environmental Protection Authority of New Zealand
deg F (° F) Degrees Farenheit
g Grams
g/cm³ Grams per Cubic Centimetre
g/l Grams per Litre
HSNO Hazardous Substance and New Organism
IDLH Immediately Dangerous to Life and Health
immiscible Liquids are insoluable in each other.
inHg Inch of Mercury
inH₂O Inch of Water
K Kelvin
kg Kilogram
kg/m³ Kilograms per Cubic Metre
lb Pound
LC50 LC stands for lethal concentration. LC50 is the concentration of a material in air which causes the death of 50% (one half) of a group of test animals. The material is inhaled over a set period of time, usually 1 or 4 hours.
LD50 LD stands for Lethal Dose. LD50 is the amount of a material, given all at once, which causes the death of 50% (one half) of a group of test animals.
ltr or L Litre
m³ Cubic Metre
mbar Millibar
mg Milligram
mg/24H Milligrams per 24 Hours
mg/kg Milligrams per Kilogram
mg/m³ Milligrams per Cubic Metre
Misc or Miscible Liquids form one homogeneous liquid phase regardless of the amount of either component present.
mm Millimetre
mmH₂O Millimetres of Water
mPa.s Millipascals per Second
N/A Not Applicable
NIOSH National Institute for Occupational Safety and Health
NOHSC National Occupational Heath and Safety Commission
OECD Organisation for Economic Co-operation and Development
Oz Ounce
PEL Permissible Exposure Limit
Pa Pascal
ppb Parts per Billion
ppm Parts per Million
ppm/2h Parts per Million per 2 Hours
ppm/6h Parts per Million per 6 Hours
psi Pounds per Square Inch
R Rankine
RCP Reciprocal Calculation Procedure
STEL Short Term Exposure Limit
TLV Threshold Limit Value
tne Tonne
TWA Time Weighted Average
ug/24H Micrograms per 24 Hours
UN United Nations
wt Weight